



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Daniel E. Logsdon Jr.
Commissioner

June 30, 2015

Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020

RE: Case No 2015-00193
Dexter-Almo Heights Water District

The Commission staff has reviewed Dexter-Almo Heights Water District Application in the above case and finds that it meets the filing requirements per the filing received on June 15, 2015 and has been accepted for filing.

This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-782-2629.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/tw



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Daniel E. Logsdon Jr.
Commissioner

June 30, 2015

Kathy Wyatt
Office Manager
Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020

RE: Case No 2015-00193
Dexter-Almo Heights Water District

The Commission staff has reviewed Dexter-Almo Heights Water District Application in the above case and finds that it meets the filing requirements per the filing received on June 15, 2015 and has been accepted for filing.

This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-782-2629.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/tw

•
•
•
•
•
•
•

P.O. Box 55 351 Almo Rd
Almo, KY 42020
Phone (270) 753-9101
Fax (270) 759-0199
E-mail dawd351@netzero.net

DEXTER-ALMO HEIGHTS WATER DISTRICT

June 10, 2015

Mr. Jeff R. Derouen
Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602-0615

FILED **RECEIVED**
JUN 15 2015 JUN 15 2015
PUBLIC SERVICE COMMISSION PUBLIC SERVICE COMMISSION

RE: Formal Application for a purchase Water Adjustment

Dear Mr. Derouen:

2015-193

Enclosed is an original and 10 copies of an application for a purchase water adjustment for the Dexter-Almo Heights Water District. The adjustment is necessary to recover an increase in the cost of water attributable to the City of Murray new wholesale price. A copy of the suppliers' notice of the changed rate showing the effective date is attached.

Sincerely,



Joe Dan Taylor

Chairman

Enclosure

• • • • •

*Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020

*Kathy Wyatt
Office Manager
Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020